




SEND WARNING MESSAGES WITH AN IMPACT

Site safety is serious business. Mark your facility at each point of need with Brady's range of high performance visual warning products. Ensure your safety message is communicated effectively, keeping your employees and visitors safe from harm.

Floor Stands.....	323 - 326
Safety Cones.....	327 - 329
Post And Rope Systems.....	331
Crowd Control Systems.....	332 - 334
Expanding Barriers	336 - 337
Railing Systems.....	338
Trip Prevention Devices.....	339
Marking Tape.....	340 - 345
Anti-Slip Flooring	346 - 349
Stair Treads	348 - 352
Indicators	350 - 351
Barricade Tapes.....	353 - 354
Fencing	357 - 358

VISUAL WARNING





VISUAL COMMUNICATION IN THE WORKPLACE

A VISUAL WORKPLACE IS A SAFE WORKPLACE

Visual communication tools prevent injuries and ensure staff and visitors are aware of possible dangers and protective equipment requirements for designated work areas. Placement of your visual tools should easily locate potential hazardous areas and alert people to proceed with caution.

Safety communication messages should also be easy to understand and be reliable education and warning tools. To remain effective all messages should be regularly reviewed and appropriate safety training be provided to workers.

On this page we have outlined some suggestions that will help you create a visual workplace. Some of the communication benefits include:

- Reduced Injuries
- Ease of Translation
- Productivity Uplift
- Simplicity and Immediacy
- Workplace Specific

COLOUR CODED VISUAL COMMUNICATION

Due to the easy, non-verbal nature of verbal communication some workplaces apply a colour coded system to identify significant information.

RED

Identify or indicate the location of danger, fire protection equipment (reels, hydrants) and apparatus, stop buttons and emergency stop controls.

YELLOW

Designate places where caution should be exercised and where cautionary notices of a general nature should be displayed.

BLUE

Identify mandatory instruction areas (example PPE required area) or places where it is desired to convey information of a general nature.

GREEN

Used for denoting safety and for indicating the location of safety and first aid equipment (PPE, eye wash showers, exit signs).

PRACTICAL VISUAL COMMUNICATION TOOLS



Retractable Barriers

Ideal where a barrier and access is both required. Barriers are easy to set up and ideal for identifying temporary hazards.



Floor Signs

Alert workers and visitors to potential hazards and position these safety signs where they can be easily seen. Ideal for use in mixed traffic areas (vehicles and pedestrians).



Floor Marking Tapes

Suitable for mixed traffic areas (pedestrians and forklifts) or where segregation is important (walkways and aisles or around production areas).




Barricade Tapes

Provide specific warning messages about the work zone. Durable, lightweight and reusable, tapes are easy to use to quickly to block off large areas.



DELUXE FLOOR STANDS

Made from high density polyethylene that will not dent or corrode with a strong hinge construction. Measuring 670mm high (closed) the large message area ensures the sign and your message is visible from over 9 metres away.



STANDARD PACKAGE: 1

Description	Dimensions
Deluxe Floor Stands	670 x 280mm (H x W)

For Custom Floor Stands see page 326.

PORTA BOARD FLOOR STANDS

Made from thick, sturdy 5mm corrugated polypropylene material. Suitable for indoor or secured for outdoor use.


COUNTERWEIGHTS PART NO. 842010

Porta-board counterweights are for use in windy conditions. They weigh 1.3kg and come as a pair.



STANDARD PACKAGE: 1

Description	Dimensions
Porta Boards	580 x 380mm (H x W)
Counterweights	1.3kg






HEAVY DUTY FLOOR STANDS

Constructed from sturdy polypropylene with a strong A-frame design, these floor stands resist weather and caustic chemicals. Measuring 300mm wide and 500mm high, the sign legends are available in bright colours with bold printing to ensure high visibility.

STANDARD PACKAGE: 1


Description	Dimensions	
Heavy Duty Floor Stands	300 x 500mm	S



2 LEGEND ECONOMY FLOOR STANDS

These economical floor stands are reversible and come with two legends. To use other legend, simply flip the stand inside out, and it is ready for display. Images shown side by side are the two legends that come with the one stand.

Constructed from a lightweight 3mm corrugated polypropylene material suitable for indoor use or secured outdoor use. Measures 500mm high (closed).



STANDARD PACKAGE: 1


Description	Dimensions	
2 Legend Eco. Floor Stands	300 x 500mm	S



HEAVY DUTY BARRICADE STANDS

These versatile, moveable stands can be used as a temporary barricade or as a stand to prominently display your message. Style C has slots to allow sand bags for added stability where required.

Part No.	Style	Colour	Dimensions
850299	A	White	635 x 915mm
850300	A	Yellow	635 x 915mm
859395	A	Orange	635 x 915mm
850296	B	White	635 x 1143mm
850297	B	Yellow	635 x 1143mm
850298	B	Orange	635 x 1143mm
850302	C	White	635 x 1143mm w/ Slots
850303	C	Yellow	635 x 1143mm w/ Slots
850304	C	Orange	635 x 1143mm w/ Slots



CHANGEABLE MESSAGE KIT

Create your own message with this lettering kit, to be used with Style B Heavy Duty Barricade Stands.



Kit Contents:
 300 x 100mm (H) Characters
 22 x 200mm (H) Numbers
 8 x 200mm (H) Word Panels
 1 x Mounting Hardware

Part No.	Description
854674	Message Kit

TALL FLOOR STAND SIGNS

These durable white corrugated plastic stands measure 450 x 1000mm and have a built-in locking mechanism so they will stand up until it is time to be stored. The Tall Floor Stand Signs hold 300 x 400mm signs, so you can change messages as required. Choose from 17 stock wordings, or we can custom make signs with your own wording using the standard Warning layout. Signs made of polypropylene.



842021



852356



842023



842024



852357



842025



842022



842026



842027



842028



852358



842029



842030



842031



842032




852359



852360



852361




STANDARD PACKAGE: 1

Part No.	Description
842025	Tall Floor Stand Only
Assorted	Signs

WRITE ON/WIPE OFF FLOOR STANDS

Use these polypropylene floor stands to update messages when required.



STANDARD PACKAGE: 1

Description	Dimensions
Write On/Wipe Off Floor Stands	300 x 500mm



CUSTOM FLOOR STANDS ORDER FORM

If a message is not available, place a Custom Floor Stand order by simply filling out this form. Should you require assistance, please contact your distributor.

1. SELECT STAND TYPE




- ☐ Deluxe Floor Stands - page 323
- ☐ Porta Board Floor Stands - page 323
- ☐ Heavy Duty Floor Stands - page 324
- ☐ 2 Legend Economy Floor Stands - page 324

2. SELECT STAND COLOUR

- ☐ White
- ☐ Yellow
- ☐ Pink (Available in Deluxe 630mm (H) Only)



3. SELECT HEADER OR PICTO

- ☐ 
- ☐ 
- ☐ 
- ☐ Other(s) _____ (specify picto part number, see page 31 or sketch picto if can not be found)

4. LEGEND TEXT COLOUR

- ☐ Black
- ☐ Other _____


5. QUANTITY

_____ (minimums may apply)

6. LEGEND OPTION

Sketch your legends (front and back) on blank stands.

- ☐ Legend 1 Both Sides
- ☐ Legend 1 Front
Legend 2 Back
- ☐ Reversible Option
(Economy Floorstands Only)
Legend 1
Legend 2



LEGEND 1

LEGEND 2

7. CONTACT DETAILS

Distributor Billing Location:

Company Name: _____
 ABN: _____
 Address: _____
 City: _____ State: _____ Post Code: _____
 Purchase Order No.: _____
 Contact Name: _____
 Phone: _____ FAX: _____

Distributor Shipping Location:

Name/Title: _____
 Company Name: _____
 Address: _____
 City: _____ State: _____ Post Code: _____
 Attn: _____
 Phone: _____ FAX: _____
 Email: _____

FAX OR EMAIL THIS FORM TO YOUR DISTRIBUTOR



ECON-O-CONE SAFETY CONES

These safety cones are made from 5mm thick corrugated polypropylene material, carrying a highly visible message on all four sides. They are extremely durable, lightweight and stackable. The unique hinge construction of the Econ-O-Cone provides for a strong flexible structure, promoting strength while minimising weight. For extra stability, use with weights. Stands 900mm tall with a 300mm square base.



STANDARD PACKAGE: 1

Description	
Econ-O-Cone Printed	
Econ-O-Cone Blank	



842033



842037



842034



842040



842038




842036



842035



842041




842043



842042



842039




842044

Need a custom Cone? See page 329.

Plastic Chain


Econ-O-Cones have fixing points on all four sides for easy chain mounting.



Part No.	Colour	Length	
37993	Black Chain	30m	
37996	White Chain	30m	
37997	Yellow Chain	30m	

Econ-O-Cone Weights

Sold in pairs, simply screw these powder-coated metal weights on for an additional 2.6kg to your Econ-O-Cone, giving a total weight of 3.3kg.



Part No.	Description	
842010	Weight Pair	

TRIVU® 3-SIDED SAFETY CONES

The most prominent cones in the range, the Trivu® cones are three-sided to ensure viewing from all angles. Their bright fluorescent green colouring makes them hard to miss and their sturdy construction makes them particularly durable. They are stackable and have carry handles which can be used for plastic chain mounting.

DIMENSIONS: 1000 x 330mm (HxW)
STANDARD PACKAGE: 1

Part No.	Description	
848282	Blank	
848280	Do Not Enter w/ Picto	
848281	Removable Weight Ring 2.5kg	



848282



848280



Removable Weight Ring



BRADYCONETM WARNING SYSTEMS

Extra large, bright cones printed on four sides for maximum visibility. Lightweight, durable moulded plastic construction for long life. Lock-in sign attachment set for specific warnings.



854835 (89cm)



854842 (89cm)



854839 (89cm)



77203 (89cm)
77201 (63cm)



854849 (89cm)



854834 (89cm)




854847 (89cm)
(Glow-in-the-dark)



77202 (89cm)
77200 (63cm)



854848 (89cm)




854837 (89cm)




854845 (89cm)
854846 (63cm)



854838 (89cm)



77205 (89cm)
77198 (63cm)



77204 (89cm)



854831 (89cm)



854832 (89cm)

STANDARD PACKAGE: 1

Description	Dimensions	
Plain Cone	63cm (Height)	C
Message Cone	63cm (Height)	
Plain Cone	89cm (Height)	
Message Cone	89cm (Height)	
Glow Cone	89cm (Height)	


TRAFFIC CONE ACCESSORIES

- A. Removable weight provides extra stability and easily fits over the top of the cone
- B. Yellow warning chain locks directly onto cone

LOCK-IN SIGN FRAME



CHAIN



Yellow, plastic links lock directly onto cone.



Easily attach accessories to your traffic cones for a complete barrier system.

STANDARD PACKAGE: 1

Part No.	Description	
77228	63cm Removable Weight Ring	B
77208	89cm Removable Weight Ring	
77207	Yellow Chain 6m	
834363	206 x 206mm Red Plastic Frame	

BRADYCONETM WARNING SIGNS

Self-adhesive vinyl. Adhere to Lock-In Sign Frame (adjacent). Custom signs available. Two units required for double facing unit.



836705



836706



77219



836702



836708



77227



836707



836710



836713



836700



833062



833073



836712



77224



836709



836711

STANDARD PACKAGE: 1

Description	Dimensions	
Warning Signs	206 x 206mm	C



CUSTOM SAFETY CONES ORDER FORM

Use this handy custom cones form to place your order. Brady will produce your custom cones to your exact specifications.

1. SELECT CONE TYPE

- ☐ Econ-O-Cone - see page 327
- ☐ Bradycone™ 63cm - see page 328
- ☐ Bradycone™ 89cm - see page 328

2. SELECT CONE COLOUR

- ☐ Yellow
- ☐ White (Econ-O-Cone Only)
- ☐ Orange (Bradycone™ Only)

3. QUANTITY

Quantity: _____

4. SELECT PICTO (IF REQUIRED)

For range of pictos see page 31.

Picto Number: _____


Other, please sketch.

5. LEGEND TEXT COLOUR

- ☐ Black
- ☐ Other, _____

6. LEGEND

Please write legend on blank safety cone and illustrate expected layout of custom safety cone.



7. CONTACT DETAILS

Distributor Billing Location:

Company Name: _____
ABN: _____
Address: _____
City: _____ State: _____ Post Code: _____
Purchase Order No.: _____
Contact Name: _____
Phone: _____ FAX: _____

Distributor Shipping Location:

Name/Title: _____
Company Name: _____
Address: _____
City: _____ State: _____ Post Code: _____
Attn: _____
Phone: _____ FAX: _____
Email: _____

FAX OR EMAIL THIS FORM TO YOUR DISTRIBUTOR



PYRAMIDS

NEW

- Tough moulded plastic
- Customise with any text on class 1 reflective backing
- Stackable for easy storage

Available in Blue, Red, White, Yellow and Green, these UV stabilised pyramids are ideal for identifying temporary areas such as blast zones or other restricted access situations, as well as for use in carparks. Three faces are available for custom messages (see to the right for most common) on reflective backing. Please specify message or advise if custom. Perfect for use with solar warning beacons and reflectaline.

Add the pyramid handle (red only) to tie off reflectaline, bunting or solar warning beacon to create a closed work space.



PYRAMID: 885 x 790mm (W x H)

WEIGHT: 9kg

STANDARD PACKAGE: 1

Part No.	Description	B
874601	Pyramid - Red	
874602	Pyramid - White	
874603	Pyramid - Yellow	
874604	Pyramid - Blue	
874605	Pyramid - Green	
874606	Pyramid Handle - Red	



Pyramid Handle

SOLAR WARNING BEACON

NEW

- Solar panel and light sensitive switch
- Class 1 reflective band
- Fully sealed from water and dust

These Solar Warning Beacons are ideal for use with the pyramid (use the pyramid handle adaptor to affix). LED powered, are available in five flashing colours: Blue, Red, Yellow, Green and White. Flash rate of 60 times per minute, visual range of 500m.

STANDARD PACKAGE: 1

Part No.	Colour	B
874607	Red	
874608	White	
874609	Yellow	
874610	Blue	
874611	Green	



REFLECTALINE

NEW

- 3M™ Diamond Grade™ class 1 reflective tags
- UV stabilised yellow cord

Ideal for use with pyramid and T-top bollards. Perfect for use on mine sites and other areas where a highly visible barrier is required day and night. Includes cord reel and stand. Available in Yellow and Orange / Yellow.

STANDARD PACKAGE: 1

Part No.	Description	B
875146	Reflectaline Orange/Yellow 100m	
874612	Reflectaline Orange/Yellow 500m	
874613	Reflectaline Orange/Yellow 1000m	
874614	Reflectaline Yellow 500m	
874615	Reflectaline Yellow 1000m	
875557	Galv Stand Suits 500m & 1000m Reflectaline Reels	





PREMIUM POST AND ROPE SYSTEM

Durable and hard working stands with a weighted base. Ideal for superior locations requiring just that little extra touch of style - hotels, theatres, museums and galleries.

Top 4-way directional ring provides flexibility in all locations. Combine these stands with the 28mm diameter woven red ropes for a real statement. Stands 935mm tall with 320mm base.



STANDARD PACKAGE: 1

Part No.	Description	
872129	Post & Base - Stainless Steel	C
872130	Post & Base - Gold Titanium	
854825	1m Rope - Black	
855103	1.5m Rope - Red	
855104	1.5m Rope - Blue	
854828	2m Rope - Black	
855106	2m Rope - Blue	
872131	Wall Clips - Stainless Steel	
872132	Wall Clips - Gold Titanium	

HEAVY DUTY GUIDELINE POSTS

Thick and large post and base ensures greater visual prominence. Constructed of weatherproof plastic so will not rust. Stands 1050mm tall and stanchion is 76mm in diameter. Fill base with sand or gravel for extra stability.

STANDARD PACKAGE: 1

Part No.	Description	
854791	Black Heavy Duty Stanchion	B
854792	White Heavy Duty Stanchion	
854793	Yellow Heavy Duty Stanchion	
854794	Black/Yellow Heavy Duty Stanchion	
845577	C Hook Black - Pk 6	
845576	C Hook Yellow - Pk 6	



WARNING CHAIN AND GUIDELINE POSTS

Durable lightweight plastic posts are 63mm in diameter, one metre high, with a 355mm diameter base. They can be placed up to three metres apart. Base may be filled with sand or concrete (normally not necessary). Easy to set up, move or store.



C-Hooks



Chain



S-Hooks




Connect Link

STANDARD PACKAGE: 1

Part No.	Description	
37992	Yellow Stanchion	B
37987	Black Stanchion	
37991	White Stanchion	
37989	Black/Yellow Stanchion	
37993	Black Chain - 30 metres	
37996	White Chain - 30 metres	
37997	Yellow Chain - 30 metres	
37998	S Hooks Black - Pk 12	
38002	S Hooks Yellow - Pk 12	
38003	Connect Links Black - Pk 12	
38006	Connect Links White - Pk 12	
38007	Connect Links Yellow - Pk 12	
845577	C Hook Black - Pk 6	
845576	C Hook Yellow - Pk 6	


Lightweight and easy to assemble.




37992
Yellow



37987
Black



37989
Black /Yellow



37991
White



SMART RETRACTABLE BELT SYSTEM - INDOOR

Using an in-ground sleeve and post coupling, this no base tamper-proof system is designed for improved safety. Constructed from a high quality 1.6mm thick, 304 grade stainless steel.

The post incorporates a 2.1m retractable belt mechanism, and has four-way connectivity that is compatible with most existing systems. Design includes the unique built-in impact absorbing feature, allowing the post to tilt up to 10° on impact and return to its original position.

DIMENSIONS: 950 x 63.5mm (H x Dia.)

STANDARD PACKAGE: 1

Part No.	Description	B
872178	Retractable Belt Post, Black Tape	
872179	Retractable Belt Post, Red Tape	
872180	Retractable Belt Post, Blue Tape	
872181	Flush In-Ground Sleeve & Cap	
872182	Carpet In-Ground Sleeve & Cap	
872183	Optional Post Locking Tool	
872184	40 Post Storage Trolley	
872185	Wall Receiver Clip	

Black

Red

Blue



TENSABARRIER® SYSTEM - INDOOR

This system has four-way connectivity, which allows you to create your own crowd control measures to suit your application. It features an anti-tamper locking tape end, as well as the patented webbing brake system (CRS). Tapes are 50mm wide, and unit measures 955mm high with 345mm diameter base.




STANDARD PACKAGE: 1

Part No.	Webbing Length	Post Colour	Webbing Colour	B
851974	2.3m	Black	Black	
847454	2.3m	Black	Black/Yellow Chevron	
847455	2.3m	Black	Red/White Chevron	
842049	2.3m	Black	Black w/ White Stripe	
851971	2.3m	Stainless Steel	Black	
851981	4.0m	Black	Black	
851983	4.0m	Black	Black w/ White Stripe	
851978	4.0m	Stainless Steel	Black	
854894	-	Black	Receiver Post (w/o Webbing)	
854896	-	Stainless	Receiver Post (w/o Webbing)	
842052	-	-	Receiver Clip (Wall Mount)	



Black Post



Stainless Steel Post



ECONOMY RETRACTABLE BARRIER SYSTEMS - INDOOR

With a steel construction each post is 1000mm in height, 360mm diameter base, and approximately 7.8kg. In this range a wall-mount version is also available.

STANDARD PACKAGE: 1

Part No.	Finish	Webbing Colour	Webbing Length	B
860230	Wall-Mount, Black	Black/White	2.0m	
860231	Wall-Mount, Black	Black/Yellow*	2.0m	
860225	Post, Stainless Steel	Black	2.0m	
860226	Post, Stainless Steel	Red	2.0m	

*Black/Yellow option reads "Caution Do Not Enter"





STOWAWAY TENSABARRIER® KIT - INDOOR/OUTDOOR

This four post kit enables you to create a highly visible 15m barrier in seconds, which can be used both indoors and out. Each 955mm (H) yellow post is supplied with 4m of webbing. It is compact and lightweight, and includes a handy carry bag allowing you to store the barrier kit quickly and conveniently. Feet come stored within the post.



STANDARD PACKAGE: 1

Part No.	Description	B
871866	Stowaway Kit – Black/Yellow Tape	
871867	Stowaway Kit – Red/White Tape	

Note. Cassette's fitted with approx. 10% extra tape.
Do not extract past stated length as cassette may damage.



UTILITY TENSABARRIER® - INDOOR/OUTDOOR

Rugged post and base perfect for indoor or outdoor use, this heavy-duty post features a UPVC moulded base and plastic post. Bases feature easy to carry handles and are stackable for easy storage.


STANDARD PACKAGE: 1


Part No.	Style	Post Colour	Webbing Colour	B
850385	Standard	Red (Reflective)	Red/White Diagonal Stripe	
850388	Standard	Black	Black/Yellow Diagonal Stripe	
850391	Standard	Yellow	Black/Yellow Diagonal Stripe	
861331	Standard	Red	Red/White Diagonal Stripe	
850399	Dual-Line	Red (Reflective)	Red/White Diagonal Stripe	
850403	Dual-Line	Black	Black/Yellow Diagonal Stripe	
850404	Dual-Line	Yellow	Black/Yellow Diagonal Stripe	
861332	Dual-Line	Red	Red/White Diagonal Stripe	
856675	Standard	Red	Receiver Post	
854885	Standard	Yellow	Receiver Post	
856677	Dual-Line	Red	Receiver Post	
856676	Dual-Line	Yellow	Receiver Post	



TENSABARRIER® STANCHION SYSTEM - OUTDOOR

The Outdoor Tensabarrier® is ruggedly constructed and can be filled with either sand or water for added stability. Any number of posts can be used together to form a barrier of any required length and configuration. The retractable weather resistant tape spans 3.65 metres and is available in three colours. The PVC post is UV resistant to prevent fading.

 Custom options available.
Call your distributor for a quote.



STANDARD PACKAGE: 1


Part No.	Post Colour	Tape Colour	B
851566	White	Red/White	
848909	Red	Red/White	
851654	Yellow	Yellow/Black	



TENSABARRIER® WALL MOUNT BARRIER UNITS

Tensabarrier® Wall Units are perfect for situations where you want a flexible retractable barrier without taking up any floor space. All wall units come with wall clips.


Webbing Options:



STANDARD PACKAGE: 1

Part No.	Webbing Length	Webbing Option
851993	4.6m	Black Webbing (1)
851994	4.6m	Red Webbing (2)
851995	4.6m	Black/White Stripe (3)
851996	4.6m	No Entry (4)
851997	4.6m	Danger Forklift Truck (5)
851998	4.6m	Caution Do Not Enter (6)
851999	4.6m	Black/Yellow Diagonal Stripe (7)
852000	4.6m	Red/White Diagonal Stripe (8)
852002	7.7m	Black Webbing (1)
852003	7.7m	Black/Yellow Diagonal Stripe (7)



 Ideal for preventing unauthorised access to areas in your facility.

TENSABARRIER® RECESS WALL UNIT

Compact and robust design makes it ideal when minimal floor space is available. Aesthetically pleasing as the unit is hidden when not in use.


All printed messages are printed on both sides of the webbing. Includes 2.3m webbing tape, anti-tamper tape end and wall clip for attaching the retractable barrier.

STANDARD PACKAGE: 1

Part No.	Colour
871870	Black
871871	Blue
871872	Red
871873	Black/Yellow
871874	Red/White
871875	No Entry



Webbing Options:



EXTREME RETRACTA-BELT WALL UNIT

Suitable for areas where floor space is limited. Durable unit with a high impact polycarbonate housing. Tape is 7.6 metres in length and ideal for large span situations such as warehouse aisle closures and loading docks etc.

STANDARD PACKAGE: 1

Part No.	Colour
872189	Black/Yellow
872191	Yellow
872190	Red
872192	Black



Webbing Options:



MAGNETIC MOUNT RETRACTABLE BARRIER


Powder-coated aluminium housing and a magnetic backing gives this retractable barrier durability and the flexibility of being able to be quickly repositioned. This robust design is 7.6 metres in length and is particularly useful in large span situations such as warehouse aisle closures and loading docks etc.

STANDARD PACKAGE: 1

Part No.	Colour
871681	Black/Yellow
871682	Yellow
871683	Red
871684	Black



Webbing Options:





SKIPPER™ CONE BARRIER SYSTEM

Unique way to cordon off any outside area creating a safer environment with high visibility retractable 9m tape. Skipper simply clicks on top of most traffic cones, saving time, storage space and money. Unit features lock/unlock feature to keep webbing tense.

A range of functional accessories are available including light, A4 sign holder, wall or magnetic mount brackets and receivers which make this product practical and versatile. Magnetic bracket and receiver is ideal for use on vehicles.



i Custom Tape options are available please contact your distributor for more information.

Minimum order quantities apply.

STANDARD PACKAGE: 1

Part No.	Description	
863831	Skipper 9m - Red/White	B
854785	Skipper 9m - Black/Yellow	
854786	Skipper Light - Amber	
863833	Receiver Skipper	
872032	Wall Receiver	
872194	Magnetic Receiver	
854789	Wall Bracket	
854790	Magnetic Bracket	
854788	A4 Sign Holder	
873122	Post & Base	



PORTABLE CONE BARRIER SYSTEM

Innovative safety cones and barricade system complements any safety program. Self-retracting belt adjusts up to 1.8 metres and the weight rings provide superior stability. Cones can be easily stored, the small base footprint requires minimum storage space when stacked.

System Includes:

- 1 x 914mm (H) Cone
- 1 x Steel Weight Ring (4.5kg)
- 1 x Belt Cassette (75mm x 1.8m)



Part No.	Description	
851261	Portable Cone Barrier System	B

TENSACONE®

Designed to fit over the top of most standard traffic cones, the Tensacone® unit connects cones together to cordon off 'work in progress' areas utilising 4m of retractable, high visibility chevron webbing. This low cost and flexible solution ensures safety and ease of use and is suited for both indoor or outdoor use.

Part No.	Description	
850407	Red/White Striped Tape	B
850408	Black/Yellow Striped Tape	

NB: Cassettes fitted with approx. 10% extra tape. Do not retract tape past stated length, as cassette may damage.





EXPANDING BARRIER SYSTEM

Compact and lightweight, these expanding barriers are suitable for indoor or outdoor use. The unique design of the extruded aluminum slats and vertical posts makes the system strong and lightweight, while the injection moulded plastic feet ensure the complete unit is durable and corrosion free. Available in different designs to suit your application - from standard expanding to flexi, allowing you to cordon off difficult areas or cope with changing floor levels. A versatile and portable solution to all your pedestrian and vehicular traffic control problems. All new models come boxed with all the attachments required for using you barrier in either the **free-standing** or **wall-mounted** configuration. This means that two separate barriers are now rolled into one. Comes with a sign mounting bracket and wall receiver bracket that allows your barrier to be locked to a wall or post when fully extended. Both new models are available in Red and White or Black and Yellow colour combinations. Spare parts and accessories available on request.



SPECIFICATIONS


Material : Aluminium. Feet: UV stabilised moulded plastic.
Wall Brackets: Zinc plated mild steel
Finish: Powder Coated
Height: 980mm to top of posts
Width: Open: 3.0 metres, Closed: 300mm / Open: 6.0 metres, Closed: 480mm.

STANDARD PACKAGE: 1


Part No.	Description	Size	Colour	B
FREE-STANDING/WALL-MOUNTED				
852517	Expanding Barrier 5.4kg	3.0m	Red & White	
852519	Expanding Barrier 5.4kg	3.0m	Black & Yellow	
852518	Expanding Barrier 8.3kg	6.0m	Red & White	
852520	Expanding Barrier 8.3kg	6.0m	Black & Yellow	
FLEXI				
855026	Flexible Barrier	5.4m	Red & White	
855027	Flexible Barrier	5.4m	Black & Yellow	



852519
Free-Standing Config.



852519
Wall-Mounted Config.



852518
Free-Standing Config.

852518
Wall-Mounted Config.

EXPANDING BARRIER LIGHT

Compact and lightweight, this barrier is suitable for indoor or outdoor use. The plastic slats and legs are durable and lightweight, and for extra stability the legs allow for water filling and added weight during windy conditions.

The complete unit is durable and corrosion free. When fully extended the economy expanding barrier is 2.4 metres wide (250mm when fully closed). Weighing 3kg, it comes unassembled with instructions for assembly included.

STANDARD PACKAGE: 1

Part No.	Description	B
870750	Expanding Barrier Light	



ECONOMY METAL EXPANDING BARRIER

Constructed of steel, this economy version is effective for barricading hazards. Weighing 7.2kg, this unit is lightweight and portable. Extends to 2.5m and is 1.1m tall.

STANDARD PACKAGE: 1

Part No.	Colour	B
860886	Red & White	
860887	Black & Yellow	





MOBILE BARRIER


This easy to use, see and store mobile barrier is lightweight and designed for indoor use. This barrier unit can be set straight, curved or in a circle to suit your application. Measuring 4 metres in length and weighing only 16.8kg, the two 127mm non-marking wheels provide for easy relocation.

SPECIFICATIONS

Opened: 1016 x 3960 x 254mm (HxLxW)

Closed: 1016 x 610 x 330mm (HxLxW)

Sign Panel: 180 x 260mm (LxH)



STANDARD PACKAGE: 1

Part No.	Description	
851268	Mobile Barrier	

HEAVY DUTY EXPANDING BARRIER

A combination of aluminium slats, galvanised slide components and stainless steel fixings. Four heavy-duty swivel castors and fixed dolly wheels come as standard allowing for ease of movement from one location to another. Can be wall mounted at one end and rolled out as required with minimal effort and linked to form a continuous barrier. The wheels are extended for extra stability.


SPECIFICATIONS

Dimensions: 1430mm from ground to top of slats

Open: 6.7m

Closed: 580mm

Weight: 32.2kgs



STANDARD PACKAGE: 1

Part No.	Description	
872193	Heavy Duty Expanding Barrier	

FLAKSTAK BARRIER

This sturdy, free-standing barrier is constructed from high-density polyethylene with rubber swivel feet. The barrier can be flat-stacked for storage and transport. Suitable for single use or interlocked into various configuration. Ideal for outdoor use in high pedestrian traffic areas including special events, footpaths, car parks, utility and trench works etc.

There is provision for flashing lamps, reflective delineators and signage.



STANDARD PACKAGE: 1

Part No.	Description	
861374	Orange Flakstak Barrier 2 x 1m	
873821	Repl. Feet Suit Flakstak Barrier	

*Additional freight charges may apply.

**NEW**

PORTABLE PLASTIC FENCE BARRIER

- Safety red super tough polyethylene barrier
- Black recycled rubber rotating feet for flat packing
- Lightweight for portability
- High visibility colour with reflective panels

Portable and stackable plastic fence for crowd control or closing off worksites. Made from durable polyethylene in a high visibility red/orange colour. Black feet made from recycled rubber rotate to flat position for stacking.

SIZE: 2000 x 1000mm (W x H)

WEIGHT: 13kg

STANDARD PACKAGE: 1

Part No.	Description
875560	Portable Plastic Fence Barrier



PEDESTRIAN CONTROL RAIL SYSTEM

Reduce risk and improve the workplace through the implementation of a safe work traffic environment by separating pedestrians and forklifts.

This system is a flexible and economical pedestrian control solution, which is simple to install. It consists of 1.05m surface mount posts and rails in 1.0, 1.5 or 2.0 metre lengths. Powder coated rails can be cut to length and the system comes complete with connectors and fixings.



STANDARD PACKAGE: 1

Part No.	Description
872195	1.05m Surface Mount Post
872196	1.0m Rail w/ Connectors
872197	1.5m Rail w/ Connectors
872198	2.0m Rail w/ Connectors



DOUBLE RAIL U-BARS


A modular one-piece design U-bar pedestrian safety barrier with fully welded knee rail. Suitable for pedestrian barriers at crossing points or traffic management in and around factory/warehouse areas. Manufactured from 3mm wall steel pipe 48mm in diameter and hot dip galvanised. The fully welded and galvanised one-piece construction makes installation a quick and simple operation. Ideal for schools, shopping centres, walkways or warehouses. Powder coating available in Red or Yellow. Weight approx 16kg.

Below Ground Type: Supplied with welded concrete starter bars.

Surface Mount Type: Supplied with fixings.



Part No.	Description
873822	1m Surface Mount Red
873823	1m Surface Mount Yellow
873824	1m Below Ground Red
873825	1m Below Ground Yellow
873826	1.5m Surface Mount Red
873827	1.5m Surface Mount Yellow
873828	1.5m Below Ground Red
873829	1.5m Below Ground Yellow
873830	2m Below Ground Yellow
873831	2m Below Ground Red
873832	2m Surface Mount Red
873833	2m Surface Mount Yellow





SAFCORD® TRIP PREVENTION DEVICE

Use SAFCORD® in your facility to secure cords and protect against trip hazards. Application is easy - simply press on and lift off. Hook and loop material eliminates messy adhesive residue. Washable and reusable industrial-grade nylon. Suitable for carpeted surfaces only.

STANDARD PACKAGE: 1

Part No.	Colour	Dimensions (WxL)	B
845614	Blue	100mm x 1.8m	
845619	Blue	100mm x 9m	
845615	Grey	100mm x 1.8m	
845617	Grey	100mm x 9m	
845616	Yellow	100mm x 1.8m	
845618	Yellow	100mm x 9m	




Prevent accidents on carpeting!

CABLE PROTECTORS

Constructed from durable, flexible vinyl they do not require special fixing and can be easily installed or removed. Supplied in 3m lengths, they are self-extinguishing in the event of fire.

STANDARD PACKAGE: 1

Part No.	Description	Channel	Overall Size	B
844139	Phone	16 x 8mm	67mm x 12mm x 3m	
844140	Combi	16 x 10mm	93mm x 19mm x 3m	
844141	Multi	30 x 10mm	80mm x 14mm x 3m	
844142	Speedi	11mm	75mm x 16mm x 3m	
844143	Double	11mm	81mm x 15mm x 3m	
844144	Large	14mm	90mm x 18mm x 3m	
844145	Power	26mm	145mm x 34mm x 3m	
851493	Hazard	30 x 10mm	80mm x 15mm x 3m	
851500	Comnet	32 x 12mm	110mm x 15mm x 3m	



DROP OVER CABLE PROTECTORS

Manufactured from UV stabilised polyurethane, these Drop Over Protectors are a fast and easy solution for cable protection and trip prevention. A solid construction ensures cable protection and the ramped edging provides for wheeled access.

STANDARD PACKAGE: 1

Part No.	Description	Colour	Dimensions (W x L x H)	B
853643	Small - Holds 2 Cables	Black	134 x 915 x 19mm	
853668	Small - Holds 2 Cables	Orange	134 x 915 x 19mm	
853644	Large - Holds 3 Cables	Black	273 x 915 x 38mm	
853669	Large - Holds 3 Cables	Orange	273 x 915 x 38mm	
871849	Anti-Slip Rubber Pad Kit (Small)			
871850	Anti-Slip Rubber Pad Kit (Large)			



HEAVY DUTY CABLE PROTECTOR

Prevent trips and falls through the use of trip prevention devices. This protector protects cords and cables from damage and is durable enough for use with trolleys.

Made of polyurethane, it is suitable for use where there is heavy traffic - ideal for use in warehouses and offices.



Channel Dimensions
Side: 13mm
Middle: 19mm

STANDARD PACKAGE: 1

Part No.	Dimensions	B
871775	19mm x 58mm x 2.5m	

TUNNEL TAPE

This tape forms a "tunnel" to safely hide wires and cables with special adhesive backing that adheres to any surface - even carpeting. Can be hand torn, repositioned several times and will not leave a sticky residue when it is removed - adhesive-free 'tunnel' means no glue on cords.



Avoid accidental trips and disconnections.

STANDARD PACKAGE: 1


Part No.	Colour	Dimensions (WxL)	B
839052	Black	76mm x 36m	
839053	Black	102mm x 36m	
839054	Black	152mm x 36m	
839055	Black/Yellow	76mm x 36m	
839056	Black/Yellow	102mm x 36m	
839057	Black/Yellow	152mm x 36m	



INDOOR WARNING TAPES

Hazardous areas are clearly indicated with high visibility Indoor Warning Tapes. The self-adhesive vinyl tape stands up in the toughest conditions. Ideal for marking out work station floors, aisles, stairways or hazardous objects. Recommended for indoor use only.


CLASS 2 REFLECTIVE TAPES (B-957)



STANDARD PACKAGE: 1 ROLL, 4.5M

Size	Part No.								S
50mm	836309	836308	76310	76321	838986	838985	78989	845668	
75mm	836313	836312	-	-	838988	838987	78990	845669	

NON-REFLECTIVE TAPES (B-950)





STANDARD PACKAGE: 1 ROLL, 16.4M

Size	Part No.											S
50mm	55296	852369	55302	76317	55292	76316	850652	848606	-	860403		
75mm	55297	848361	55303	76319	55293	76318	850653	860406	859508	860404		

EXTERIOR VINYL TAPES

Long-lasting exterior vinyl tapes withstand harsh weather conditions. Clearly identify guardrails, fences, vehicles, equipment, loading docks and heavy traffic areas. Extra-strong, pressure-sensitive adhesive provides a permanent bond to any smooth, clean and dry surface. Tapes are waterproof and fade-resistant to withstand chemicals, acids and oils. Matte surface provides an easy to write on surface on solid tapes.




STANDARD PACKAGE: 1 ROLL, 32M

Size	White	Orange	Red	Blue	Black	Green	B
25mm	852381	852383	852384	852385	852386	852387	

Size	Yellow/Black	White/Black	Red/White	B
25mm	852409	852410	852411	
50mm	852412	852413	852414	
75mm	852415	852416	852417	
100mm	852418	852419	852420	

PROMOTIONAL GRADE REFLECTIVE TAPES

This self-adhesive retro-reflective tape is ideal for identifying doors, floors, fire equipment stairs and more, with an outdoor lifespan of up to three years.



STANDARD PACKAGE: 1 ROLL, 9M

Size	White	Red	Yellow	Fluoro Yellow	B
25mm	848369	848612	860325	848889	
50mm	849196	851541	848691	-	
75mm	-	860324	-	-	





3M™ REFLECTIVE VEHICLE MARKING TAPES

Delivering outstanding vehicle visibility, the 3M™ Diamond Grade™ Reflective Vehicle Marking Tape range is designed specifically for marking rigid and curtain sided heavy vehicles. Tapes provide outstanding reflectivity, durability, and are easy to apply.

983 Series: Continuous rigid tape typically used for flat, rigid surfaces. Suitable for use on aluminium, stainless steel and automotive paint.

997 Series: Continuous flexible tape typically used for rigid, round and contoured surfaces. Suitable for use on aluminium, stainless steel, automotive paint, truck canvas/curtain sides.

997S Series: Flexible segmented tape typically used and suitable for truck canvas/curtain sides.

DIMENSIONS: 55mm x 50m (W x L)

Part No.	Series	Colour	B
873834	983	Red	
873835	983	White	
873839	997	Red	
873838	997	White	
873840	997	Yellow	
873842	997S	Red	
873841	997S	White	
873843	997S	Yellow	




983 Series



997 Series




997S Series




CLASS 1 ULTRA HIGH-INTENSITY EXTERIOR TAPES

The brightest, most intense retro-reflective material available. Designed with illuminating honeycomb shapes to make tapes easy to see even in the darkest conditions. Most suitable for highway signs requiring high visibility and long performance life. Designed to produce adequate reflection for 10 years outdoors.



STANDARD PACKAGE: 1 ROLL, 4.5M


Size	White	Yellow	S
50mm	852373	852375	
75mm	852374	852376	



Size	Red/White	Black/Yellow	S
50mm	852377	852379	
75mm	852378	852380	

CLASS 1 ULTRA HIGH-INTENSITY EXTERIOR TAPES - BULK ROLLS

Same high-performance tape in bulk roll form.



STANDARD PACKAGE: 1 ROLL, 45.7M

Size	White	Yellow	Blue	Red	Green	Orange	S
50mm	-	-	-	-	863935*	863934*	
	850200	862294	862295	850199	-	-	

* Meets Class 1A and 1W Retro-Reflective Standards.



Class 1 Exterior Tape complies with AS/NZS 1906.1, Green and Orange meets Class 1A and 1W Retro-Reflective Standards.

REFLECTIVE VEHICLE MARKING TAPE

This Class 2 reflective marking tape meets AS/NZS 1906.1. It has similar reflectivity properties to Engineer Grade sheeting but is more flexible so can be used on vehicles, corrugated surfaces or any surface that is not entirely flat.

Tape can be removed with heat up to three years after application when applied to original automotive finishes. PVC tape with solvent based acrylic adhesive. Made in Japan.



STANDARD PACKAGE: 1

Part No.	Dimensions	Colour	B
871693	50mm x 9m	Yellow	
871695	75mm x 9m	Yellow	
871694	50mm x 9m	White	
871696	75mm x 9m	White	

**NEW**

VEHICLE SUPPLY AND APPLY KIT

- Manufactured using fluorescent 3M™ Diamond Grade™ reflective vinyl
- Ideal for use in harsh operating environments
- Kit includes: 11.4m striping for doors, front and rear guards, rear door, 3 x ID numbers for doors and rear
- All cut to size for quick and easy application
- Choose ID numbers per above configurations
- Black on yellow or yellow on black



Part No.	Description	
875114	Vehicle Supply & Apply Kit	

Please specify letters and numbers at time of order.

LED SUPABRITE™ SLIMLINE ID PANELS

NEW

- Revolutionary product for optimum day/night vehicle and plant identification
- Led illuminated (min. 100,000Hrs)
- Powered with 12/24V DC
- Impact and vibration resistant
- 600 x 350mm slimline panel less than 30mm thick
- Suitable for any vehicle or plant including haul trucks, graders, dozers, utes and 4WDs

3M™ Diamond Grade™ provides a very high degree of wide angle reflectivity. Combined with LED rear illumination, this creates outstanding visibility making this product out-perform all existing forms of LED or reflective vehicle ID on the market.

DIMENSIONS: 600 x 350mm

Part No.	Description	
875154	SupaBrite Vehicle ID Panel	



ANTI-SLIP ANGLED PLATES

- Surface tested in accordance with and exceeds AS/NZS 4586:2004
- High quality Carborundum material rated to R13
- Ideal for mesh/grated stairs (saddle clips required) and side steps
- Heavy duty, epoxy coated and UV stabilised
- Plates comes with screws and pre-drilled holes ready to be installed



Surface tested in accordance with and exceeds AS/NZS 4586:2004.



Part No.	Dimensions (WxL)	
870761	50 x 900mm	
870762	75 x 900mm	
870764	50 x 1200mm	



TOUGHSTRIPE® FLOOR MARKING

SUPERIOR DURABILITY

Spend less time replacing damaged or worn lines for a better-looking, more efficient facility.

- Withstands forklift traffic without tearing or lifting
- Low-profile design minimises tears and scratches from skids, pallet jacks, etc.
- Rugged polyester with ultra-aggressive adhesive

EASY APPLICATION

Quickly lay down smooth, straight lines – without the help of co-workers.

- Can be easily applied by one person working alone
- Stiff polyester with liner prevents tape stretching and reduces wrinkles and wavy, uneven lines
- No special floor preparation required – just clean with common cleansers

* For maximum performance, apply ToughStripe® Floor Marking products to flat, non-coated concrete.

HIGH VISIBILITY

Get the same visibility of painted floor markings – and pay less.

- High-gloss surface shines like new paint
- Low profile minimises debris build-up along the edges that occurs with thicker (extruded) floor tapes
- Surface resists marks and smudges
- Available in a variety of high-impact colours

DIECUT SHAPES

Utilise different shapes, colours and sizes for more effective, durable floor markings.

- Dashes, dots, arrows, footprints, and corner marks (L, T and + shapes)
- Longer lasting markings – minimises the risk of damage and facilitates fast repair

PRE-SPACED SHAPES

Expedite installation and repair time.

- Dots, arrows and dashes packaged in rolls (not individually) and evenly spaced 455mm apart on a continuous liner
- Quick and easy one person installation; simply lay down the line like a continuous tape, and then remove
- the clear transfer tape from on top of the floor markings
- Eliminates the need to apply markings one by one
- Quickly lay straight, evenly spaced shapes
- Ideal for high traffic areas – if damaged only replace damaged shapes

PAINLESS REMOVAL

Easily remove floor markings without damaging the floor or leaving adhesive residue.

- Does not chip and flake when being removed – comes off in one piece
- Clean removal without any unsightly adhesive residue or damage to the floor



USE TOUGHSTRIPE® FLOOR MARKING PRODUCTS TO MARK:

- Aisleways and traffic lanes
- Work Cell outlines
- Equipment storage areas
- Material storage areas
- QA inspection areas
- Defects/scrap/rework areas
- “Keep clear” zones
- Hazard areas



Online Video:
www.bradyid.com.au/toughstripe



TOUGHSTRIPE FLOOR MARKING TAPES

ToughStripe® floor marking products are made with Brady's new B-514 polyester. ToughStripe® products are ideal for marking aisles, passageways and storage locations, and pointing out important safety equipment and egress paths. Tape is 2mm thick and has a service temperature range of -17°C to 53°C.



Size	Black	Blue	Green	Orange	Red	White	Yellow
51mm x 30m	872429	872433	872434	872435	872432	872430	872431
76mm x 30m	872439	872443	872444	872445	872442	872440	872441

Size	Black/White	Black/Yellow	Red/White	Yellow Dash*
51mm x 30m	872438	872436	872437	872449
76mm x 30m	872448	872446	872447	

* Dash size 51 x 203mm at every 254mm, 60 dashes per roll.



PRE-SPACED SHAPES

Packaged in rolls (not individually) and spaced 455mm apart on a continuous liner, ToughStripe® Pre-Spaced Shapes make it easy to quickly lay straight, evenly spaced shapes. Simply lay down the continuous tape, and then remove the clear transfer tape. No need to apply markings one by one.



Description	Black	Blue	Green	Red	White	Yellow
89mm x 30m Dots - 55 Pre-Spaced	873318	873319	873320	873321	873322	873323
51mm x 127mm x 30m Arrows - 52 Pre-Spaced	873324	873325	873326	873327	873328	873329
51mm x 203mm x 30m Dashes - 46 Pre-Spaced	873330	873331	873332	873333	873334	873335

DIECUT SHAPES



DOTS

Description	Black	Blue	Green	Red	White	Yellow
89mm Dia. 350/Roll	873232	873230	873229	873228	873233	873231

FOOT PRINTS

Description	Black	Blue	Green	Red	White	Yellow
254 x 89mm 10 Pk (5 Left & 5 Right)	873238	873236	873235	873234	873239	873237



ARROWS

Description	Black	Blue	Green	Red	White	Yellow
51 x 127mm 100 Pk	873244	873242	873241	873240	873245	873243
76 x 203mm 100 Pk	873250	873248	873247	873246	873251	873249
102 x 254mm 100 Pk	873256	873254	873253	873252	873257	873254

CENTRE "+" MARKS

Description	Black	Blue	Green	Red	White	Yellow
51 x 125mm 20 Pk	873298	873296	873295	873294	873299	873297
76 x 203mm 20 Pk	873304	873302	873301	873300	873305	873303
102 x 254mm 20 Pk	873310	873308	873307	873306	873311	873309



CORNER "L" MARKS

Description	Black	Blue	Green	Red	White	Yellow
51 x 127mm 20 Pk	873262	873260	873259	873258	873263	873261
76 x 203mm 20 Pk	873268	873266	873265	873264	873269	873267
102 x 254mm 20 Pk	873274	873272	873271	873270	873275	873273



DIVIDER "T" MARKS

Description	Black	Blue	Green	Red	White	Yellow
51 x 127mm 20 Pk	873280	873278	873277	873276	873281	873279
76 x 203mm 20 Pk	873286	873284	873283	873282	873287	873285
102 x 254mm 20 Pk	873292	873290	873289	873288	873293	873291



AISLE MARKING MACHINE

Designed for use with vinyl marking tapes, or warning tapes. Marks straight lines and curves easily. Best suited to 76mm tape.

STANDARD PACKAGE: 1

Part No.	Description	
55538	Aisle Tape Applicator	B

Surface Preparation for Application: Pressure sensitive adhesives perform best on smooth, clean, dry surfaces. Use these guidelines for preparing surfaces for application:

1. If surface is contaminated with oil or grease, clean it with an evaporative solvent such as methylethylketone.
2. If surface is dirty, clean it with #600 emery cloth or 0000 steel wool, followed by solvent cleaning as above.
3. Rough surfaces can be smoothed with sandpaper, then with steel wool, and solvent-cleaned to remove residual dirt.
4. A final cleaning with a dry, lint-free cloth is advised to remove any solvent film.




AISLE MARKING TAPE

Specially formulated B-725 vinyl tape ensures long wear. Colour pigmented throughout resists showing scratches.

MATERIAL: B-950

Part No.	Legend	Dimensions	
58255	CAUTION	76mm x 18m	S
834216	RESTRICTED AREA	76mm x 16.4m	
834217	CAUTION WALK YOUR STEP	76mm x 16.4m	
834219	FIRE PROTECTION EQUIPMENT	76mm x 16.4m	
834221	→ → →	50mm x 16.4m	
834222	→ → →	50mm x 16.4m	
834223	→ → →	50mm x 16.4m	
834224	→ → →	50mm x 16.4m	
842596	Red & White Stripe	50mm x 33m	
842579	Red & White Stripe	76mm x 33m	
862403	Black & Yellow Stripe	50mm x 33m	
842580	Black & Yellow Stripe	76mm x 33m	



STANDARD PACKAGE: 1 Roll, 33 Metres

MATERIAL: B-725


Size	Yellow	Red	Part No.	Green	White	Blue	Orange	
50mm	58200	58201	58202	58203	58220	856874		B
76mm	58250	58251	58252	58253	58221	856875		

HAZARD STRIPE ANTI-SLIP TAPES AND TREADS

Use this range of self adhesive tapes, treads and cleats to achieve maximum anti-slip protection whilst warning of dangerous areas. Highly visible with a very coarse, sandpaper-like grit non-slip surface. Available in rolls of tape or individually cut 'treads' for floor areas and walkways. Suitable for indoor or outdoor application. Surface preparation is recommended. Apply to a clean dry surface.

STANDARD PACKAGE: 1

Part No.	Dimensions	Colour	
843825	50mm x 18m	Black & Yellow Stripe	C
843826	50mm x 18m	Red & White Stripe	
843827	75mm x 18m	Black & Yellow Stripe	
843828	75mm x 18m	Red & White Stripe	
843829	100mm x 18m	Black & Yellow Stripe	
843830	100mm x 18m	Red & White Stripe	
843831	150mm x 18m	Black & Yellow Stripe	
843832	150mm x 18m	Red & White Stripe	
843833	75 x 610mm*	Treads Black & Yellow	
843834	75 x 610mm*	Treads Red & White	
843835	150 x 610mm**	Treads Black & Yellow	
843836	150 x 610mm**	Treads Red & White	



Warns of hazards and prevents slips & trips.

* Treads are 50 per package
** Treads are 24 per package




FLOOR SIGNS

Self-adhesive walk-on floor signs consist of a substrate vinyl graphic which is protected by a tough clear textured overlamine. The strong adhesive has been designed to bond to many different surfaces. Suitable for heavy traffic areas or wall mounting applications where graffiti or heavy wash downs are a problem. Suitable for internal use.

STANDARD PACKAGE: 1

Description	Size	
Floor Signs	440mm Dia.	B

Clear Overlamine
Protects Warning
Message.



i We recommend not to place floor markers where forklifts may turn or drive over them.



TOUGHSTRIPE® FLOOR MARKING SIGNS WITH ANTI-SKID TREAD

ToughStripe® floor signs are specifically designed to alert workers of potential dangers and enforce protective equipment requirements.

Signs are 430mm in diameter, and the black areas of signs are coated with anti-skid tread. Service temperature range of -17°C to 53°C.




STANDARD PACKAGE: 1

Description	Size	
Floor Marking Signs With Anti-Skid Tread	430mm Dia.	B



BRADYGLO™ LUMINOUS PRODUCTS

GLOW-IN-THE-DARK TAPES (B-324)



STANDARD PACKAGE: 1 Roll of 4.5m

Size	Part No.	
50mm	76430	90971 90973 76432
75mm	76431	90972 90974 76433

GLOW-IN-THE-DARK FOOTPRINTS AND ARROWS (B-324)



Phosphorescent Arrows.

Phosphorescent Footprints.

GLOW-IN-THE-DARK ANTI SKID TAPE (B-916)




Anti Skid Cleat

Roll

Part No.	Description	Dimensions	
93275	Arrows (Roll 100)	76mm	
55358	Footprint Left (Ea)	305mm	
55359	Footprint Right (Ea)	305mm	

Part No.	Description	Dimensions	
99048	Tape Roll	25mm x 18m	
99049	Tape Roll	50mm x 18m	
99050	Tape Roll	100mm x 18m	
99052	Tape Roll	150mm x 18m	
99055	Cleat 10pk	150mm x 610mm	
99054	Cleat 50pk	150mm x 610mm	





SAFETY TRACK® RESILIENT TAPE

Safety Track® Resilient is tough enough to use where other grit anti-slip tapes are used, but is gentler to the touch. An embossed blend of synthetic products create a high performance, non-skid surface. Safety Track® is easily cleaned and can be mopped. Ideal for clean rooms, laboratory facilities and food processing plants. Made of black laminated calendered film.

Part No.	Dimensions	
98455	100mm x 18m	B
98457	152 x 610mm	



SAFETY STAIR MARKERS

Reinforce safety at your facility and help to prevent slips, trips and falls. Tough overlamine protects marker and has anti-slip properties. Self-adhesive backing for instant installation.



843678



843001



843097



843098



843378



843325



843006



843099



843359

STANDARD PACKAGE: 1

Description	Dimensions	
Safety Stair Markers	440 x 180mm	D

CONFORMABLE ANTI-SLIP TAPE

Extremely durable anti-slip traction system designed to conform to irregular or uneven surfaces. The self-adhesive, high traction tape has a special aluminium backing which allows it to stick to rugged surfaces and around corners without losing performance. Ideal for ladder rungs, steps, walkways and diamond plate decking, it is equally effective indoors or outside.

Use with surface primer and edge sealing compound to form an unbeatable, long lasting system.




STANDARD PACKAGE: 1 ROLL OR PACK


Part No.	Description	Dimensions	
843817	Roll	50mm x 18m	B
847165	Roll	100mm x 18m	
850917	Roll	150mm x 18m	

SAFETY STENCILS


Permanently apply your safety message on the floor or on walls where you feel a warning is necessary. Just tape the 440mm mylar stencils onto the selected area and spray on the paint. Remove stencil when ready. Ideal for use on irregular or uneven surfaces.




839062



839063



839058




847348



851171




839061



839065



839059



839060



847349

STANDARD PACKAGE: 1

Dimensions	Material	
440mm	Clear Poly	C



ANTI-SLIP TAPE

Made of rugged B-916 adhesive-backed polyester tape. Coated with thousands of particles of durable aluminium oxide grit. Bonds permanently to clean, dry floors and withstands grease and oil. Works indoors and outdoors, however is not appropriate for outdoor timber.


STANDARD PACKAGE: ROLL OF 18 METRES

Part No.	Colour	Width	S
78189	Black	25mm	
78190	Black	50mm	
78091	Safety Yellow	50mm	
78187	Pebble White	50mm	
78188	Clear	50mm	
78191	Black	100mm	
78092	Safety Yellow	100mm	
78193	Black	150mm	
78194	Black	300mm	



MARINE GRADE ANTI-SLIP TAPES AND CLEATS

Suitable for use in wet environments, this tape was developed for marine applications. Features a particularly coarse particle-grit tread and a super strong water-resistant adhesive. Available in Black only. Suitable for temperatures between 10°C to 60°C.



STANDARD PACKAGE: 1 ROLL OR PACK

Part No.	Description	Dimensions	B
854800	Roll	50mm x 18m	
854801	Roll	100mm x 18m	
854802	Roll	150mm x 18m	
854803	Cleat - Pk 50	150 x 600mm	
854804	Cleat - Pk 50	75m x 600mm	
854805	Cleat - Pk 50	140 x 140mm	



854803 - 600x150mm



854804 - 600x75mm

TREAD RITE SLIP RESISTANT COATING

Tread Rite Slip Resistant Coating creates durable slip-resistant surfaces around the home and workplace. The unique formulation provides uniform coverage and is easy to apply to any interior/exterior metal, concrete, ceramic or wood surface. The tough, dried finish resists cracking and peeling and exposure to petrol, oil and mild chemicals.

Ideal for stairs, ramps, walkways and pool decks.



Part No.	Colour	Size	B
843819	Clear	4L	
873385	Black	4L	
873386	Yellow	4L	
873387	Clear	10L	
873388	Black	10L	
873389	Yellow	10L	





RUBBER TACTILE INDICATORS

Tactiles meet the Australian Standard AS/NZS 1428.4, Building Code of Australia and exceed the anti-slip requirements of AS/NZ 4586. Guaranteed to conform to each of the dimensional requirements and provide safe and effective tactile cues for the vision impaired.

These Tactile Indicators have a raised profile to alert visually impaired individuals of an upcoming hazard, or provide them with guidance for safe passage. The Tactiles are available in two types: round ridge patterns for warning of hazards; or a long, straight ridge pattern for directional guidance. The adhesive is a strong two-part mixture that is suitable for both indoor and outdoor use.

STANDARD PACKAGE: 1


Part No.	Description	Colour	Dimensions
845830	Warning	Safety Yellow	300 x 600mm
845831	Warning	Terracotta	300 x 600mm
845832	Warning	Pacific Blue	300 x 600mm
845833	Warning	Grey	300 x 600mm
845834	Warning	Black	300 x 600mm
861020	Warning	Safety Yellow	600 x 900mm
861023	Warning	Terracotta	600 x 900mm
861021	Warning	Pacific Blue	600 x 900mm
861024	Warning	Grey	600 x 900mm
861022	Warning	Black	600 x 900mm
861025	Directional	Safety Yellow	600 x 900mm
861028	Directional	Terracotta	600 x 900mm
861026	Directional	Pacific Blue	600 x 900mm
861029	Directional	Grey	600 x 900mm
861027	Directional	Black	600 x 900mm
861030	Installation Kit	-	For Rubber Indicators
845840	Two-Part Adhesive	-	2kg (Covers 1.5m ²)
845841	Two-Part Adhesive	-	5kg (Covers 3.5m ²)

Installation Kit Contents:


1 x Knife
1 x 1kg Two-part Adhesive
1 x 10m Masking Tape
1 x Instruction Sheet
1 x Trowel
1 x Cutting Template

Each 1kg of adhesive covers 0.75m² or four 300 x 600mm tiles.

Colours Available:



Ridge
Pattern for
Directional.



Stud
Pattern
for Warning.



* GST applies to adhesive and installation kit. All tactile indicators are GST exempt.



Complies to AS/NZS 1428.4 Tested to AS/NZS 4586, R13 Slip Resistance, exceeding the R10 requirement.

POLYTILE PEEL AND STICK ADHESIVE BACKED TACTILE INDICATORS

NEW

- Complies to AS/NZS 1428.4.1.2009
- Fast, easy installation
- DIY, no special technical skills or tools required
- No down time, installation can be walked on immediately
- Low cost effective supply/install
- R12 safety rated

PolyTile Tactiles are an effective way of providing guidance cues. Supplied with a super strong, PSA peel and stick backing, PolyTiles can be installed internally quickly and cost effectively.

Manufactured from strong, durable polyurethane polymer which has greater wear resistance than steel. This provides a flexible, hard wearing and long lasting tactile which is suitable for extremely highly traffic installations such as in the transport and education sectors. Will not discolour, crack or degrade over time.

Dimensions: 300 x 300mm

Part No.	Description	Colour
875903	Hazard Stud	Ivory
875904	Hazard Stud	Grey
875905	Hazard Stud	Yellow
875906	Hazard Stud	Terracotta
875907	Hazard Stud	Black
875908	Directional Rib	Ivory
875909	Directional Rib	Grey
875910	Directional Rib	Yellow
875911	Directional Rib	Terracotta
875912	Directional Rib	Black



Colours Available:





STAINLESS STEEL INDICATOR STUDS

Designed to meet all aspects of the AS/NZS 1428.4 Tactile Ground Surface Indicators including the minimum luminance contrast and anti-slip requirements. Indicators comply with the Building Code of Australia and exceed the anti-slip requirements of AS/NZS4586. The grit option is ideal for metallic surfaces to achieve 60% luminance requirements under AS/NZS 1428. All styles have achieved a R13 Slip Rating which is the highest available under AS/NZS 4586.

Studs are 35mm in diameter, 5mm protrusion height. Spigot measures 15x6mm. Note: To cover an area of 600 x 900mm, you will need 216 studs - generally the minimum requirement for a single hazard, however you will require two lots to cover the top and bottom of the hazard.

STANDARD PACKAGE: 1

Part No.	Description	Stud Type
848446	Stainless Steel	Spigot
848447	Stainless Steel	Non-Spigot
861032	Grit, Yellow	Spigot
861033	Grit, Black	Spigot
861034	Grit, Yellow	Non-Spigot
861035	Grit, Black	Non-Spigot
861036	Installation Kit	For Spigot Stud
861037	Installation Kit	For Non-Spigot Stud
861038	Additional Adhesive	For Spigot Stud
861039	Additional Adhesive	For Non-Spigot Stud

Installation Kits:

Spigot Installation Kit includes – template, 6mm drill bit with limit sheath, adhesive, caulking gun, installation instructions.


Plain-Backed Installation Kit comes with – template, cleaning agent, abrasive pad, adhesive, adhesive applicator gun, installation instructions. For additional adhesive see price table.

* GST applies to adhesive and installation kits.
All tactile indicators are GST exempt.

Note: Adhesive in kits will cover a 600 x 900mm area at the top and bottom of a hazard. Additional adhesive for spigotted studs will do approximately 300 studs, additional adhesive for non-spigotted studs will do approximately 120 studs. With a depth of 600mm, 240 studs cover 1 lineal metre.



Complies to AS/NZS 1428.4 Tested to AS/NZS 4586, R13 Slip Resistance, exceeding the R10 requirement.



Grit Non-Spigot



Grit Spigot



Stainless Steel Non-Spigot




Stainless Steel Spigot

TACTILE INDICATOR PLATES

316 marine grade stainless steel tactile plates are easy to install. With six pre-drilled and countersunk holes it's easy to locate the plates and secure them down.

Architecturally attractive and provide a cost effective method over difficult substrates such as escalator maintenance hatches, carpet with underlay and timber decking.

They are available in 300 x 600mm sections which satisfy almost all installation requirements, with 72 stud pieces per plate.



Dimensions: 300 x 600mm

STANDARD PACKAGE: 1

Part No.	Description	Dimensions
872368	72 Studs	300 x 600mm

Note: All tactile indicators are GST exempt.



ANTI-SLIP STAIR NOSINGS

A necessity for busy stairways, these Anti-Slip Stair Nosings ensure grip on steps, whether outdoors or indoors. The grit finish is designed for outdoor use, being a stronger compound and offering substantially more traction. The rubber finish is designed for indoor use. Easy to install, the aluminium extrusions are pre-drilled and come in pre-cut 900mm or 1200mm lengths. Carpet-friendly extrusions are also available which feature 'grippers' so nosing doesn't move. Choose the appropriate kit to suit your application. Kit includes self-adhesive anti-slip inserts (grit or rubber), stainless steel screws and plastic screw anchors. Simply use an 8 gauge drill-bit for surface. Kit and extrusion required for each individual step. Available with a standard 30mm leading edge or in A Series with a 10mm leading edge for NCC compliance.



Meets width and luminance contrast requirements of BCA 3.2 and AS/NZS 1428.1:2001. Both surfaces tested to AS/NZS 4586:2004 – Grit R13, Rubber R10.



ProStep CA



ProStep Highlight



ProStep SL



ProStep TS



ProStep Classic



ProStep PL



ProStep VL

Part No.	Name	Description	Colour/Style	NCC
859813	ProStep Classic	900mm Aluminium Extrusion	Standard	N
859814	ProStep Classic	1200mm Aluminium Extrusion	Standard	N
859815	ProStep CA	900mm Aluminium Extrusion	Carpet	N
859816	ProStep CA	1200mm Aluminium Extrusion	Carpet	N
873950	ProStep TS	900mm Aluminium Extrusion	Twin	N
873951	ProStep TS	1200mm Aluminium Extrusion	Twin	N
873952	ProStep PL	900mm Aluminium Extrusion	Photolum.	N
873953	ProStep PL	1200mm Aluminium Extrusion	Photolum.	N
873954	A Series ProStep Classic	900mm Aluminium Extrusion	Standard	Y
873955	A Series ProStep Classic	1200mm Aluminium Extrusion	Standard	Y
873956	A Series ProStep CA	900mm Aluminium Extrusion	Carpet	Y
873957	A Series ProStep CA	1200mm Aluminium Extrusion	Carpet	Y
873958	A Series ProStep TS	900mm Aluminium Extrusion	Twin	Y
873959	A Series ProStep TS	1200mm Aluminium Extrusion	Twin	Y
873960	A Series ProStep PL	900mm Aluminium Extrusion	Photolum.	Y
873961	A Series ProStep PL	1200mm Aluminium Extrusion	Photolum.	Y
873962		900mm Kit (Grit)	Black	
873963		900mm Kit (Grit)	Yellow	
873964		900mm Kit (Grit)	Grey	
873965		900mm Kit (Grit) for ProStep TS	Black	
873966		900mm Kit (Grit) for ProStep TS	Yellow	
873967		900mm Kit (Grit) for ProStep TS	Grey	
873968		1200mm Kit (Grit)	Black	
873969		1200mm Kit (Grit)	Yellow	
873970		1200mm Kit (Grit)	Grey	
873971		1200mm Kit (Grit) for ProStep TS	Black	
873972		1200mm Kit (Grit) for ProStep TS	Yellow	
873973		1200mm Kit (Grit) for ProStep TS	Grey	
873974		900mm Kit (Rubber)	Black	
873975		900mm Kit (Rubber)	Yellow	
873976		900mm Kit (Rubber)	Grey	
873977		900mm Kit (Rubber) for ProStep TS	Black	
873978		900mm Kit (Rubber) for ProStep TS	Yellow	
873979		900mm Kit (Rubber) for ProStep TS	Grey	
873980		1200mm Kit (Rubber)	Black	
873981		1200mm Kit (Rubber)	Yellow	
873982		1200mm Kit (Rubber)	Grey	
873983		1200mm Kit (Rubber) for ProStep TS	Black	
873984		1200mm Kit (Rubber) for ProStep TS	Yellow	
873985		1200mm Kit (Rubber) for ProStep TS	Grey	

Note: The Carborundum surfaces are considerably more expensive because they offer a substantially greater level of traction.

Part No.	Name	Description	Colour/Style	NCC
873988	ProStep VL	900mm Extrusion + Vinyl Insert	Yellow	N
873989	ProStep VL	900mm Extrusion + Vinyl Insert	Grey	N
873990	ProStep VL	900mm Extrusion + Vinyl Insert	Black	N
873991	ProStep VL	1200mm Extrusion + Vinyl Insert	Yellow	N
873992	ProStep VL	1200mm Extrusion + Vinyl Insert	Grey	N
873993	ProStep VL	1200mm Extrusion + Vinyl Insert	Black	N
873994	A Series ProStep VL	900mm Extrusion + Vinyl Insert	Yellow	Y
873995	A Series ProStep VL	900mm Extrusion + Vinyl Insert	Grey	Y
873996	A Series ProStep VL	900mm Extrusion + Vinyl Insert	Black	Y
873997	A Series ProStep VL	1200mm Extrusion + Vinyl Insert	Yellow	Y
873998	A SeriesProStep VL	1200mm Extrusion + Vinyl Insert	Grey	Y
873999	A Series ProStep VL	1200mm Extrusion + Vinyl Insert	Black	Y
874000	ProStep SL	900mm Extrusion + Carborundum Insert	Yellow	N
874001	ProStep SL	900mm Extrusion + Carborundum Insert	Grey	N
874002	ProStep SL	900mm Extrusion + Carborundum Insert	Black	N
874003	ProStep SL	1200mm Extrusion + Carborundum Insert	Yellow	N
874004	ProStep SL	1200mm Extrusion + Carborundum Insert	Grey	N
874005	ProStep SL	1200mm Extrusion + Carborundum Insert	Black	N
874006	A Series ProStep SL	900mm Extrusion + Carborundum Insert	Yellow	Y
874007	A Series ProStep SL	900mm Extrusion + Carborundum Insert	Grey	Y
874008	A Series ProStep SL	900mm Extrusion + Carborundum Insert	Black	Y
874009	A Series ProStep SL	1200mm Extrusion + Carborundum Insert	Yellow	Y
874010	A Series ProStep SL	1200mm Extrusion + Carborundum Insert	Grey	Y
874011	A Series ProStep SL	1200mm Extrusion + Carborundum Insert	Black	Y
874012	A Series ProStep Highlight	900mm Extrusion + Fibreglass Insert	Yellow	Y
874013	A Series ProStep Highlight	900mm Extrusion + Fibreglass Insert	Grey	Y
874014	A Series ProStep Highlight	900mm Extrusion + Fibreglass Insert	Black	Y
874015	A Series ProStep Highlight	1200mm Extrusion + Fibreglass Insert	Yellow	Y
874016	A Series ProStep Highlight	1200mm Extrusion + Fibreglass Insert	Grey	Y
874017	A Series ProStep Highlight	1200mm Extrusion + Fibreglass Insert	Black	Y

Note: Extrusion and inserts above come complete with screws and screw anchors.



STANDARD BARRICADE TAPE

Printed Barricade Tapes warn against hazards or dangerous work zones with specific warning messages. The durable, yet lightweight tape comes in easy-to-use rolls so that it can be put up quickly to block off large areas of danger. Wrap it around poles and barrels, or staple it to wood. When the hazard is removed, roll up the tape for reuse. Thickness 80um.



For pricing, please contact your Brady distributor or our Customer Service team.

AUTHORISED PERSONNEL ONLY 75mm x 60m 91468 75mm x 300m 834500	CAUTION CAUTION 75mm x 60m 91212 75mm x 300m 834501	CAUTION WORKMEN ABOVE 75mm x 300m 834525
CONFINED SPACE DO NOT ENTER 75mm x 300m 91257	CAUTION DO NOT ENTER 75mm x 60m 91224 75mm x 300m 873593	RESTRICTED AREA DO NOT ENTER 75mm x 300m* 855434
DANGER ASBESTOS HAZARD 75mm x 60m 91255	DANGER HIGH VOLTAGE 75mm x 300m* 834555	DANGER ASBESTOS HAZARD 75mm x 300m 834529
DANGER DO NOT ENTER 75mm x 300m 834530 150mm x 300m 834539	DANGER 75mm x 300m 856560	75mm x 300m* 834548
75mm x 300m 834550	75mm x 50m 848118	75mm x 60m 91214 150mm x 300m 834513
		75mm x 300m 834549

STANDARD PACKAGE: 1

Description

Standard Barricade Tape

*Tapes with symbols are shown on page proportionately larger for pictogram clarity.

Which Barricade Tape Is Best For You?

STANDARD BARRICADE TAPE: For general purpose application.
HEAVY DUTY BARRICADE TAPE: For use in heavy winds or when extra strength is needed.
ECONOMY BARRICADE TAPE: For short term or temporary use.
PLASTIC FLAGGING TAPE: Economical one time use. Throw away after using.
We can custom make barricade tape to your requirements, call for a quote.

HEAVY DUTY BARRICADE TAPE

Tape for tough jobs. Perfect for extended use and longer distances, 0.15mm thick.

CAUTION 834684	DANGER 834571
CAUTION DO NOT ENTER 834679	834571



STANDARD PACKAGE: 1

Description

Heavy Duty Barricade Tape

Dimensions (W x L)

75mm x 300m

Mark hazardous zones with high visibility polyethylene tape.



ECONOMY BARRICADE TAPE

0.05mm thick for indoor/outdoor use. Easy to use 75mm x 150m rolls.
For short term or temporary use.



STANDARD PACKAGE: 1

Description	Dimensions (W x L)
Economy Barricade Tape	75mm x 150m



834575



834585



834588



834579



834576



834583



834580



834584

WOVEN BARRICADE TAPE

Made of B-903 polypropylene. Contains ultraviolet inhibitors for permanent outdoor marking.



STANDARD PACKAGE: 1

Part No.	Dimensions (W x L)	Colour
91172	19mm x 30m	Yellow/Black
872373	19mm x 30m	Red/Black
91176	51mm x 60m	Yellow/Black
872374	51mm x 60m	Red/Black
860592	51mm x 60m	Red



CUSTOM BARRICADE TAPE

Used everywhere from construction and public safety to advertising. Custom barricade tape is ideal for cordoning off areas from public and advertising your company, or warning message to the public. Simply create legends to suit your application.

\$ For pricing, please contact your Brady distributor or our Customer Service team.

Options:

Background/tape colour: white or yellow
Ink colour: black, blue, green, or red
Logo: yes (no shading or gradients)
Artwork size: 50 x 225mm
Artwork format: jpg or pdf



White Tape Option

Yellow Tape Option

YOUR LOGO HERE...

YOUR LOGO HERE...

YOUR TEXT HERE...

YOUR TEXT HERE...

YOUR LOGO HERE...

YOUR LOGO HERE...

YOUR TEXT HERE...

YOUR TEXT HERE...

Part No.	Dimensions (WxL)	Thickness
871497	75mm x 60m	100um
871498	75mm x 150m	100um
871499	75mm x 300m	100um

*Plate set up charges and artwork fees apply.

*Artwork supplied in high res JPG or PDF file, no shading or gradient, at correct print size.



NON-DETECTABLE UNDERGROUND WARNING TAPE

Effectively warn excavators of buried services below ground. The tape has a tensile strength of 10N/mm (Based on 100 micron thickness material).

STANDARD PACKAGE: 1

Part No.	Description	Colour	Dimensions
838501	Danger – Buried Communication Cable Below	White/Black	100mm x 250m
838506	Danger – Buried Electrical Main Below	Orange/Black	100mm x 250m
838505	Danger – Buried Electrical Main Below	Orange/Black	150mm x 500m
847402	Danger – Buried Sewer Main Below	Cream/Black	100mm x 250m
838521	Danger – Buried Water Main Below	Green/Black	100mm x 250m
838511	Danger – Buried Fire Main Below	Red/Black	100mm x 250m
842752	Danger – Buried Irrigation Main Below	Blue/Black	100mm x 250m
847400	Danger – Buried Potable Water Main Below	Green/Black	100mm x 250m
847401	Danger – Buried Recycled Water Main Below	Lilac/Black	100mm x 250m
842753	Danger – Buried Stormwater Main Below	Blue/Black	100mm x 250m
847403	Danger – Buried Comm/Gas/Elect Mains Below	Orange/Black	200mm x 500m
838515	Danger – Buried Gas Main Below	Yellow/Black	150mm x 500m
838516	Danger – Buried Gas Main Below	Yellow/Black	100mm x 250m

B





DETECTABLE WAVE UNDERGROUND WARNING TAPE

Manufactured using one or more stainless steel tracer wires laid in a sinusoidal wave pattern and laminated between two layers of polyethylene tape. This unique design allows the wires to stretch by over 25% before breaking. The wire is a minimum 304 grade 0.5mm diameter stainless steel manufactured to BS 1554. The tensile strength of the wire is 850N/mm and the tape is 43N/mm.

STANDARD PACKAGE: 1 DIMENSIONS: 100mm x 250m

Part No.	Description	Colour
847391	Danger – Buried Electrical Main Below	Orange/Black
847393	Danger – Buried Gas Main Below	Yellow/Black
847392	Danger – Buried Fire Main Below	Red/Black
847394	Danger – Buried Irrigation Main Below	Blue/Black
847395	Danger – Buried Potable Water Main Below	Green/Black
847396	Danger – Buried Recycled Water Main Below	Lilac/Black
847397	Danger – Buried Sewer Main Below	Cream/Black
847398	Danger – Buried Stormwater Main Below	Blue/Black
847399	Danger – Buried Water Main Below	Green/Black
847390	Danger – Buried Communication Cable Below	White/Black

B



DETECTABLE MESH UNDERGROUND WARNING TAPE

This tape is manufactured from a combination of polypropylene and homopolymer, with two stainless steel tracer wires incorporated in the construction. The wire is a minimum 304 grade 0.5mm diameter stainless steel, manufactured in compliance to BS 1554. Tensile strength is 150kg per 200mm width.

STANDARD PACKAGE: 1 DIMENSIONS: 200mm x 100m

Part No.	Description	Colour
847385	Danger – Buried Fire Main Below	Red/Black
847386	Danger – Buried Gas Main Below	Yellow/Black
847387	Danger – Buried Recycled Water Main Below	Lilac/Black
847388	Danger – Buried Sewer Main Below	Cream/Black
847389	Danger – Buried Water Main Below	Green/Black
872552	Warning – Extra High Voltage Cables - Transpower 220kV	Orange/Black

B



SAFETY TUBE WARNING SLEEVE

High quality visible warning sleeve used as a visual warning over scaffolding poles, post and pickets or as a premium barricade tape. Manufactured from polyethylene and supplied as a 75mm lay-flat tubing on a roll. Printed both sides, warning diagonal chevrons mark the danger to pedestrians at road level. Easy to apply when scaffolding is being erected.

STANDARD PACKAGE: 1 Roll, 50m

Part No.	Colour
872617	Red/White
872618	Black/Yellow

C





BARRICADE TAPE STAKES

Secure messages in open areas with these 1.1m lightweight, flexible fibreglass barricade tape stakes.

STANDARD PACKAGE: 5

Part No.	Description
861051	Barricade Tape Stakes

B





MARKING WHISKERS

Marking Whiskers are practically indestructible, and are ideal for marking property lines or underground utilities. Whiskers can not be covered with blowing dust or dirt, can be installed quickly and easily, and mowed over with minimal damage. Made of polypropylene and are 150mm in length.

STANDARD PACKAGE: PACK 25

Part No.	Colour	B
872668	Blue	
872669	Green	
872670	Orange	
872671	Pink	
872672	Red	
872673	Yellow	



PLASTIC FLAGGING AND SAFETY TAPE

Plastic Flagging Tape is ideal for those temporary markings. Flag boundary stakes, trees and hazardous areas with bright 30mm wide tape. Clearly visible even from a distance. Use indoors or out. Standard colour rolls are 90 metres long, fluorescent rolls are 45 metres long.

STANDARD PACKAGE: 1

Part No.	Colour	Part No.	Colour	S
847305	Fluoro. Red	847316	Red	
847308	Fluoro. Orange	847317	Black	
847309	Fluoro. Green	847318	White	
847310	Fluoro. Lime	847319	Black Stripe	
847311	Fluoro. Pink	847321	Yellow Stripe	
847313	Yellow			



DANGER MESSAGE BUNTING

Heavy-duty bunting with message on every 5th flag. This pennant tape provides an effective visible barricade to warn people away from hazardous areas.

STANDARD PACKAGE: 1 ROLL

Part No.	Description	Length	B
872674	Danger Authorised Entry Only	30m, 45 flags	
872675	Danger Keep Out	30m, 45 flags	
872676	Danger Radiation	30m, 45 flags	



PENNANT BARRICADE TAPE

These pennants are 455mm and the tape comes in lengths of 25 metres with 15 pennants or 35 metres with 25 pennants. For a cost-efficient yet effective method choose the Economy Pennant Tape. 32 metres displaying 48 bright red (not fluorescent) polyethylene 305 x 455mm pennants.



STANDARD PACKAGE: 1 ROLL

Part No.	Description	Length	B
847263	Fluorescent Orange Vinyl Coated Nylon	25m	
847264	Fluorescent Orange Vinyl Coated Nylon	35m	
847266	Bright Red Polyethylene (Economy)	32m	

PROTECTOR CAPS

High visibility orange, the cap's internal flexible ribs make them suitable for 10mm to 40mm rods/pickets. Can be used for vertical and horizontal applications.



Shown fitted to Picket

STANDARD PACKAGE: 1

Part No.	Dimensions (Dia. x H)	B
846167	60 x 65mm	



CONSTRUCTION MESH AND SHADE CLOTH

Lightweight knitted HDPE mesh, suitable for scaffolding and fencing with button eyelets top and bottom for easy application. 10-year manufacture warranty against UV degradation. 120gsm per square metre.

Dimensions: 1.83 x 50m (W x L)

STANDARD PACKAGE: 1 ROLL

Part No.	Colour	B
871667	Blue	
871668	Green	
871670	Red	
871672	Black	



BARRICADE FENCING

Can be easily erected and supported either by steel fencing pins or pinned to wooden fence posts for more permanent use.

FENCE NETTING

All purpose temporary fence which is ideal for short term work. Comes with suspension cord top and bottom for easy installation.

BARRIER FENCING LIGHT AND MEDIUM WEIGHT

Ideal for cordoning off areas on construction sites and sporting events. Manufactured in different weights and grades for higher visibility and more protection. Stretched polypropylene for strength.

BARRIER FENCING HEAVY AND SUPREME HEAVY WEIGHT

Australian made high strength, high quality, and heavy-duty fencing mesh. Ideal for use when a long term barrier is required. It has high levels of UV stability and the strong high-density polyethylene assists with fewer star pickets and easier erection.

Part No.	Description	Weight Per SqM	Colour	Dimensions	B
848435	Economy Fence Netting	56g	Orange/Yellow	0.9 x 50m	
848438	Barrier Fencing Light Weight	110g	Orange	1 x 50m	
848437	Barrier Fencing Medium Weight	150g	Blue	1 x 50m	
848439	Barrier Fencing Medium Weight	150g	Green	1 x 50m	
848440	Barrier Fencing Medium Weight	150g	Orange	1 x 50m	
848441	Barrier Fencing Medium Weight	150g	Yellow	1 x 50m	
875309	Barrier Fencing Heavy Weight	400g	Orange	0.9 x 30m	
875310	Barrier Fencing Supreme Heavy Weight	450g	Orange	1 x 30m	
875311	Boddclip Barrier Fence Fasteners		Yellow	100 Pk	



848434



848436



848438



848440




Fence Netting

BOUNCE-BACK WARNING POSTS

Easy to install warning posts, used to avoid accidental dig-ins and service interruptions on building and construction sites, in fields, car parks and land development areas. Constructed from tough, UV stabilised polycarbonate, when hit by vehicles these posts bounce back undamaged (from speeds up to 50 km/h) making them ideal for high traffic and construction areas. The 1.6m high white post can be used with the highly visible sign which can be read from up to 10m.

STANDARD PACKAGE: 1

Part No.	Description	Dimensions	B
856955	Post	1.6m	
See below	Sign	75 x 300mm	



Bounce-Back Posts are durable and flexible. If driven over they simply "Bounce Back" into position.



Tough Polycarbonate Posts have a pointed end for ground fixing. Highly visible legends get your message across.




CUSTOM SITE BANNER MESH FENCING

With some Local Governments enforcing the cleanliness of construction sites regarding dust or debris falling onto adjoining streets, parks or properties, effective dust control should be in place. Improve your company's image in the community with this fencing mesh, and also include your company's logo or aspects of your project for recognition.


Constructed from a dense, 300gsm PVC mesh which provides approximately 85% blockage and withstands higher wind loads compared to shade cloths. Prints are more vivid, and pricing includes full colour coverage as required. Comes complete with hemmed and eyeleted finish.

Note: Turnaround time can be up to 3 weeks dependent on time of artwork proof approval sign off.

Light Transmission of 85%
Air Permeability 28%

 For pricing, please contact our Customer Service team on 1800 620 816.

STANDARD PACKAGE: 1 Roll, 50m

Part No.	Dimension	
871890	1.6m x 50m	
871891	1.8m x 50m	



1. DIMENSIONS (WxL)

- ☐ 1.6m x 50m
- ☐ 1.8m x 50m

2. QUANTITY

_____ x 50m rolls

3. FILE FORMAT

The following file formats are accepted:

- Photoshop (CS2)
- Illustrator (CS2)
- InDesign (CS2)
- High Resolution PDF

4. ARTWORK PROPERTIES

- Preference for files is to be in Vector based EPS format (TIFF or PDF is acceptable)
- Artwork needs to be created in CMYK format for correct colour matching.

NB: Pantone colours can not be reproduced in CMYK or RGB format.

- All text needs to be converted to paths/outlines, alternatively fonts need to be supplied as separate files.

5. FILE SIZE

Recommended resolution for files is 300 dpi. Images larger than 841 x 594mm should be created in a reduced scale to minimise file size. As a guide please use the following reductions:

- Files larger than 1m in length or width:
50% (500 x 500mm)
- Files larger than 3m in length or width:
25% (750 x 750mm)
- Files larger than 5m in length or width:
10% (500 x 500mm)

Note: Please provide minimum 10mm bleed based on final image size. For large files flatten the image prior to sending.

6. PROOFING

Proofs are required to be signed off prior to printing. Due to custom aspect of this product, this mesh can not be returned.

7. CONTACT DETAILS

Distributor Billing Location:

Company Name: _____
ABN: _____
Address: _____
City: _____ State: _____ Post Code: _____
Purchase Order No.: _____
Contact Name: _____
Phone: _____ FAX: _____

Distributor Shipping Location:

Name/Title: _____
Company Name: _____
Address: _____
City: _____ State: _____ Post Code: _____
Attn: _____
Phone: _____ FAX: _____
Email: _____

FAX OR EMAIL THIS FORM TO YOUR DISTRIBUTOR